

1PXL Module WW

1PXL MODULE | Media luminaires



- Low resolution graphics
- Decorative illumination
- Stunning backlighting
- Ceilings, inside floors

Product benefits

- Low-profile, light weight design
- Direct-view and easy installation
- Simple connection with TX Connect Smart

Product features

- Medium pixel pitch: 62.5 mm
- Wide beam angle: 120°
- Transparent acrylic cover
- White ABS back case



Technical data

Electrical data

Nominal wattage	8.00 W
Nominal voltage	24.00 V
Mains frequency	0 Hz

Light technical data

Color temperature	3400 K
Beam angle	120 °
Light color as per EN 12464-1	Warm White

Dimensions & weight

Length	250.0 mm
Width	250.0 mm
Height	36.5 mm

Colors & materials

Body material	ABS (Acrylonit, Butadiene, Styrene)
Product color	Transparent/White
Cover material	Polycarbonate (PC)

Additional product data

Number of lighting outlets	1
Equipment	LED

Capabilities

Type of installation	Mounting/Wall
Adjustable	No

Capabilities

Color management (RGB)	No
Type of connection	Connector

Certificates & standards

Protection class	III
Type of protection	IP20

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4006584524457	Folding carton box 1	- x - x -		
4006584524464	Shipping carton box 4	354 mm x 188 mm x 266 mm	4270.00 g	17.70 dm ³

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.