


U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	
	<b>FLEXIMARK® PTEF/ CAB</b>	07.11.2014

Pre-cutted FLEXIMARK® Character holders PTEF for marking cables with labels or character strips. For assembly with cable ties.



Good chemical resistance




Halogen-free



Acid-resistant



UV-resistant



#### Info

PTEF 9,5-35 contained in FLEXIMARK® sample bag (article number M3251010)

#### Application range

For cable/conduit marking

Suitable for holding text and character strips, printable LFL labels, and e.g. DYMO or Brother label strips

Assembly with 2.6 mm cable ties or fasten with screws and rivets when using end caps

#### Benefits

PC labels LFL are adapted to be pushed into different sizes of character-holder

Cost-saving, as you save the time for cutting

Additional protection against UV- radiation and diverse chemicals

#### Included

PTEF without cable ties

CAB: with cable ties (135x2,6 mm)

#### Remark

Photographs are not to scale and do not represent detailed images of the respective products. Contents: roll, metre, unit, marker, label

#### Technical Data

Material:


Halogen-free polyethylene

Temperature range:

-75°C up to +80°C

Product Management	Document: LAPP_PRO1452EN.pdf	1 / 3
--------------------	------------------------------	-------

Part number	Article designation	A [mm]	B in mm	C mm	D (mm)	Contents (unit)	PU
PTEF character-holder - without cable tie							
83254960	FLEXIMARK® PTEF 9.5-18 TR	12,2	9.5	18.0	30.0	50	1
83254961	FLEXIMARK® PTEF 9.5-28 TR	12,2	9.5	28.0	40.0	50	1
83254963	FLEXIMARK® PTEF 9.5-35 TR	12,2	9.5	35.0	47.0	50	1
83254962	FLEXIMARK® PTEF 9.5-38 TR	12,2	9.5	38.0	50.0	50	1
83254964	FLEXIMARK® PTEF 9.5-58 TR	12,2	9.5	58.0	70.0	50	1
83254965	FLEXIMARK® PTEF 9.5-70 TR	12,2	9.5	70.0	82.0	50	1
83280006	FLEXIMARK® PTEF 12-18 TR	14,8	12.0	18.0	30.0	50	1
83254976	FLEXIMARK® PTEF 12-28 TR	14,8	12.0	28.0	40.0	50	1
83254977	FLEXIMARK® PTEF 12-38 TR	14,8	12.0	38.0	50.0	50	1
83254978	FLEXIMARK® PTEF 12-58 TR	14,8	12.0	58.0	70.0	50	1
CAB character-holder - with cable tie							
83259087	FLEXIMARK® CAB 9.5-18 TR	12,2	9.5	18.0	30.0	50	1
83259084	FLEXIMARK® CAB 9.5-28 TR	12,2	9.5	28.0	40.0	50	1
83259085	FLEXIMARK® CAB 9.5-38 TR	12,2	9.5	38.0	50.0	50	1
83259086	FLEXIMARK® CAB 9.5-58 TR	12,2	9.5	58.0	70.0	50	1
83259078	FLEXIMARK® CAB 12-18 TR	14,8	12.0	18.0	30.0	50	1
83259079	FLEXIMARK® CAB 12-28 TR	14,8	12.0	28.0	40.0	50	1
83259080	FLEXIMARK® CAB 12-38 TR	14,8	12.0	38.0	50.0	50	1
83259081	FLEXIMARK® CAB 12-58 TR	14,8	12.0	58.0	70.0	50	1

U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	
	<b>FLEXIMARK® PTFE/ CAB</b>	07.11.2014

